



RAJPUTANA BIODIESEL LIMITED

(Formerly known as "Rajputana Biodiesel Private Limited")

Registered Office: Jaipuria Mansion Panch Batti, M.I. Road,

Jaipur - 302001, Rajasthan

CIN: U74999RJ2016PLC056359

Email: info@rajputanabiodiesel.com

Phone No: +91-9509222333

Ref. No.: Rajputana/CS/2025/7

Date: 29th March, 2025

To,
National Stock Exchange of
India Limited (NSE)
Exchange Plaza,
C-1, Block G, Bandra Kurla Complex,
Bandra, Mumbai – 400051

Symbol: RAJPUTANA

ISIN: INE0VHU01019

Subject: Update under Regulation 30 of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 regarding –Receipt of “Consolidated Consent to Operate and Authorisation” from Uttar Pradesh Pollution Control Board for “Nirvaanraj Energy Private Limited, Subsidiary of Rajputana Biodiesel Limited.

Dear Sir/Madam,

Pursuant to Regulation 30 of SEBI (Listing Obligation and Disclosure Requirements) Regulations, 2015, we would like to inform/update you that our Subsidiary Company i.e. Nirvaanraj Energy Private Limited has received, the “**Consolidated Consent to Operate and Authorisation**” letter from Uttar Pradesh Pollution Control Board vide reference no 235359/UPPCB/Meerut(UPPCBRO)/CTO/both/MEERUT/2025 dated March 28, 2025 bearing Application Id: 30875267 under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981.

The Consolidated Consent to Operate and Authorisation pertains to enhancement of manufacturing/ producing of Bio Diesel (Product) upto a maximum quantity of 80 KL per day at factory located at Khasra No 129, Village-Uldeypur, Tehsil-Meerut, District-Meerut-250001, Uttar Pradesh.

The validity of the said consent is from 28/03/2025 to 31/07/2029.

The Subsidiary Company has successfully enhanced its production capacity as part of its long-term strategy to expand biodiesel production, aligning with the growing demand for renewable energy sources and biofuels. With this expansion, we are well-positioned to meet the increasing demand for biodiesel and maximize its significant benefits. Our enhanced capacity enables us to contribute more effectively towards sustainable growth and the transition towards sustainable energy solutions.



RAJPUTANA BIODIESEL LIMITED

(Formerly known as "Rajputana Biodiesel Private Limited")

Registered Office: Jaipuria Mansion Panch Batti, M.I. Road,
Jaipur - 302001, Rajasthan

CIN: U74999RJ2016PLC056359

Email: info@rajputanabiodiesel.com

Phone No: +91-9509222333

In terms of Regulation 30, read with Para B of Part A of Schedule III of the SEBI (LODR) Regulations and SEBI Circular No. SEBI/HO/CFD/PoD2/CIR/P/0155 dated November 11, 2024 (as amended from time to time), the details are enclosed herewith in the prescribed formats as **Annexure-A**.

The date and time of occurrence of events is March 29, 2025 at 11:35 hours IST.

You are requested to take on record the above information.

Thanking you,

Yours Faithfully,

For Rajputana Biodiesel Limited

Sarthak Soni
Managing Director
DIN: 07633751
Place: Jaipur

Encl.: Consolidated Consent to Operate and Authorisation



RAJPUTANA BIODIESEL LIMITED

(Formerly known as "Rajputana Biodiesel Private Limited")

Registered Office: Jaipuria Mansion Panch Batti, M.I. Road,
Jaipur - 302001, Rajasthan

CIN: U74999RJ2016PLC056359

Email: info@rajputanabiodiesel.com

Phone No: +91-9509222333

Annexure – A

Disclosure under Regulation 30 of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 as amended:

Granting, withdrawal, surrender, cancellation or suspension of key licenses or regulatory approvals

S. No.	Particulars	Responses
1.	Name of the regulatory or licensing authority	Uttar Pradesh Pollution Control Board
2.	Brief details of the approval / license obtained / withdrawn / surrendered	Consolidated Consent to Operate and Authorisation under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981 for manufacturing/production of Bio Diesel upto a maximum quantity of 80 KL per day.
3.	Impact/relevance of such approval/license to the listed entity	Approval for enhancement of Manufacturing/Production Capacity
4.	Withdrawal / cancellation or suspension of licence / approval by the regulatory or licensing authority, with reasons for such action, estimated impact (monetary or otherwise) on the listed entity and penalty, if any;	Not Applicable
5.	Period for which such approval / license is Valid	From 28/03/2025 to 31/07/2029
6.	Subsequently, the listed entity shall inform the stock exchange(s), the actual impact (monetary or otherwise) along with corrective actions taken by the listed entity pursuant to the withdrawal, cancellation or suspension of the key license/ approval	Not Applicable



Uttar Pradesh Pollution Control Board

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

Category : ORANGE

Application Id : 30875267

235359/UPPCB/Meerut(UPPCBRO)/CTO/both/MEERUT/2025

Date: 28/03/2025

To,

M/s

NIRVAANRAJ ENERGY PRIVATE LIMITED

Khasra no 129, Village uldeypur , tehsil meerut, distt meerut,MEERUT,250001

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981

CCA is hereby granted to **NIRVAANRAJ ENERGY PRIVATE LIMITED** located at **Khasra no 129, Village uldeypur , tehsil meerut, distt meerut,MEERUT,250001.** subject to the provisions of the **Water Act, Air Act** and the orders that may be made further and subject to following terms and conditions :-

1. This CCA **NIRVAANRAJ ENERGY PRIVATE LIMITED** **granted for the period from 28/03/2025 to 31/07/2029** and valid for manufacturing of following products.

S No	Product	Quantity	Unit
1	Methyl ester(Biodiesel)B100	2400	Metric Tonnes/Month

2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility	Discharge point
Domestic	1	Septic Tank	Septik Tank/Soakpit
Industrial	0

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Industrial Effluent Quality Standard

S.No.	Parameter	Standard
-------	-----------	----------

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality.In case of stoppage of functioning of STP, production has to be

stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.

S No.	Parameters	Standards
1	pH	6.5-9.0
2	BOD (mg/L)	30mg/l
3	TSS (mg/L)	100mg/l
4	Fecal Coliform (MPN/100ml)	<1000

3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
1	Boiler 02TPH	Bio Briquettes	01	Particulate Matter	18 meter from ground level
2	Thermic Fluid Heater(600 000KCAL))	LPG	02	Particulate Matter	18 meter from ground level(Common Stack with Stack no1)
3	125KVA DG SET	Diesal	03	Sulphur Dioxide	2.2meter above roof level

Emmission Quality Standards

S No.	Stack no	Parameters	Standards
1	01	Particulate Matter	80mg/Nm3
2	02	Particulate Matter	80mg/Nm3
3	03	Sulphur Dioxide	Nox<0.40,HC<0.19, CO<3.5,PM<0.02g/kWh

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

4. Essential documents to be submitted by the Industry/Unit as Applicable :-

- (i) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - (ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will results in legal action under the aforesaid Acts and Rules.
7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.
8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

General Conditions:-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated Industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof
6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.
7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be

reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

Specific Conditions:-

1. This Consent is valid for Orange category of unit.

2- Unit should not discharge any kind of industrial effluent. This consent is valid for only domestic discharge.

3. The Unit is not allowed to use the banned fuel in NCR region.

4. Unit shall comply with various Waste Management Rules as notified by MoEF&CC i.e. Plastic Waste Management Rules, 2016, Solid Waste Management Rules, 2016, Hazardous and Other Wastes (Management and Trans boundary) Rules, 2016, E-waste (Management) Rules, 2016, Construction and Demolition Waste Management Rules, 2016. as applicable.

5. Industry shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board, Uttar Pradesh Pollution Control Board and CAQM & AA for Protection and safeguard of environment from time to time.

6-Unit shall comply with direction issued under Graded Response Action Plan (GRAP) time to time by Hon'ble Supreme Court & Commission for Air Quality Management in NCR and Adjoining Areas (CAQM).

7-Under the Noise Pollution(Regulation and Control) Rule 2000, the industry shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70dB(A)

8- In case of any closure direction issued from CAQM & AA this consent will be valid only after termination of closure order.

9-The industry shall adhere to general conditions of Water/Air Acts and compliance of Environment Standards as per Environment (Protection) Act 1986.

10- The industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P. Rules 1986.

11-The use of Pet coke and Furnace oil as a fuel is restricted in compliance of the Hon'ble Supreme court order.

12- The unit shall obtain prior CTE in the event of any addition of new emission generation sources such as Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section 21/22 of air Act 1981 (as amended respectively).

13-Industry shall submit first compliance report with respect to conditions imposed within 30 days of issue this permission.

14- Separate power connection with energy meter shall be provided for the Pollution Control Equipment's and record of power consumption and chemicals consumption for the operation of pollution control equipment shall be maintained separately.

15-Concealing the factual data or submission of false information/fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control acts.

16-This consent is valid only for products and quantity mentioned above. Unit shall obtain prior approval before making any modification in product/process/discharge/plant machinery failing which consent would be deemed void.

17-Extraction of ground water through any mechanism like bore well etc. is not allowed without prior Registration/Permission from UP Ground Water Department (UPGWD).

18- In case of usage of ground water, the Project Proponent must obtain NOC from CGWA within one month from the date of issue of CTE/CTO/CCA, unless falling in exempted category as per MoJS Guidelines dated 24.09.2020 and amendments dated 29.03.2023 thereto.

19- Unit should apply <http://dustapp.upecp.in/> for dust control and should install low cost sensors and PTZ camera on the site providing connectivity to regional office, UPPCB. (This condition applies only for any construction plot area >500sq meter).

20-Emission standards for particulate matter (PM) emissions (<80 mg/Nm³) for the biomass fuelled boilers/thermo pack should comply as per direction no. 62 dt. 17.03.2022 of Commission for Air Quality Management in National Capital Region and Adjoining Areas (CAQM&AA). The link of order is <https://caqm.nic.in//admnis/admin/showimg.aspx?ID=10755>. The unit is also directed to aim for achieving stricter norms of PM emission <50 mg/Nm³ as per the direction no. 62.

21- The unit is directed to operate diesel generators in accordance to direction no 76 issued by Commission for Air Quality Management in National Capital Region and Adjoining Areas (CAQM&AA). The direction is available on website <https://caqm.nic.in>. DG Sets having capacity of 61 kw up to 800kw are allowed to operate either fully on PNG or with installation of RECD or on Dual Fuel using gas(70% gas+30% diesel). DG Sets having capacity more than 800kw are allowed with installation of appropriate air pollution control systems. DG Sets having capacity between 19kw to 61kw are allowed with dual fuel only.

BHUVAN
PRAKASH
YADAV
RO,UPPCB,MEERUT

Digitally signed by
BHUVAN PRAKASH
YADAV
Date: 2025.03.28
16:36:47 +05'30'

Copy to:

CEO-3,UPPCB,LKO

BHUVAN
PRAKASH
YADAV
RO,UPPCB,MEERUT

Digitally signed
by BHUVAN
PRAKASH YADAV
Date: 2025.03.28
16:36:47 +05'30'



मिशन LIFE - पर्यावरण के लिए जीवन शैली (Lifestyle For Environment) जनसहभागिता का सन्देश



- स्वच्छता – देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें -एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय ।
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है। वेस्ट /अपशिष्ट फेंकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेंकने से रुकें। इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई – वेस्ट रीसाइकलर को दें। प्राधिकृत ई-रीसाइक्लिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाक्रीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है। वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं। उपयोग में न होने पर बिजली उपकरणों को बंद करें। स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है।